



## INTUMESCENT DOOR SEALS & HARDWARE PROTECTION KITS

Certificate number: IFCC 1686

Certificate only valid if verified on website – [www.ifccertification.com](http://www.ifccertification.com)

Issued by IFC Certification Ltd, part of the Kiwa UK Group

This is to certify that

### Vanquish Hardware Protection Ltd

Fusion House  
Downtown, Salisbury  
Wiltshire. SP5 3FL  
Tel: 01725 578020

Who manufacture the following intumescent seals & hardware protection kits:

### FlexiFire

have satisfied the requirements of the SDP 20 Intumescent Seal & Hardware Protection Kits scheme v1.2. This includes the testing of products to **BS476: Part 22: 1987, BS EN 1634-1:2014, & BS EN 1634-1:2014+A1:2018**, the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve **30 minutes to 60 minutes integrity** are detailed on page 2 of this certificate.

Initial Certification: 07 February 2022  
Revised: 07 October 2024  
Valid to: 06 February 2027  
Issue number: 2

David Mowatt  
Head of IFC Certification /  
Kiwa Group Limited

*This certificate consists of 2 pages.  
Publication of this certificate is permitted.*



The production intumescent seals & hardware protection kits are manufactured in accordance with assessment/ test reports referenced within the following table:

Product Description	Fire Rating	Assessment/Test Report
FlexiFire	EI30	WF345074/A Issue 2
FlexiFire	EI60	WF429674
FlexiFire	FD30, FD60	WF526507 AR1
FlexiFire	EI30	WF530479

Signed on behalf of Kiwa UK

David Mowatt  
Head of IFC Certification /  
Kiwa Group Limited

The scope of the certification is limited to the details and parameters contained within these reports and all aspects of the specification and limitations defined therein must be satisfied.

**It is the certificate holder’s responsibility to ensure that the latest version/ revision of the above assessment reports are maintained as part of the audited FPC system.**

**Failure to comply with all specifications will invalidate the certification and may jeopardise the fire performance.**

# CERTIFICATE

