


Sash Locking Fire Door Kit



Sash locking Fire Door Kit



The Eclipse Locking commercial fire door kit is designed for use on Locking FD30 & FD60 applications. They are suitable for multiple fire door applications that require a reliable power adjustable door closer. The door closer comes with a backcheck function. The first fix items are approved for use on CE & certifire fire door sets.

Applicable Certificates/Standards

- Hinge: CF336, EN1634, EN1935
- Intumescent: BS EN1634
- Door Closer: CF600, EN1634, EN1154
- Signage: BS EN1634
- Lever On Rose: BS EN1634, BS EN1906
- Euro Sashlock: CF5788, BS EN12209
- Euro Escutcheon: BS EN1634

Pack Contents

- 3no 102x76x3mm Grade 13 Stainless Steel Ball Bearing Hinges
- 6no Intumescent hinges pads to suit 3no Hinges
- 1no 2-4 Overhead power adjustable backcheck door closer
- 1set Stainless Steel Safety Lever On Rose
- 2no 76mm Fire Door Keep Shut Signs
- 1no 76mm Euro Sashlock
- 1no Intumescent Lock Kit
- 1no 70mm Euro Cylinder
- 2no 52mm Euro Escutcheons

**Overhead
Door Closer**




**G13 Hinge &
Intumescent**




**Euro Cylinder &
2no Escutcheons**



**Commercial Locking Set
Pull Side**




**Commercial Locking Set
Push Side**




**Fire Door
Signage**



**Safety Lever
On Rose Set**



**Lock Case &
Intumescent**




Hinges

Grade 13 102x76mm Stainless Steel Ball Bearing Hinge 3PK



Technical Info

- 102x76x3mm
- SS201 Stainless Steel
- 12g Countersinking
- BS EN1634 Fire Rated FD30, 60, 90, 120 Timber
- BS EN1935 Performance Tested Grade 13 - 120kg
- CE Approved
- UKCA Approved
- Certifire Approved



Hinge Pads

Intumescent Hinge Pads to Suit Eclipse Ball Bearing Hinges



Technical Info

- 101x30x0.8mm
- Graphite Material
- BS EN1634 Fire Rated FD30, 60 Timber
- To suit Eclipse Grade 13 Ball Bearing Hinges


Door Closer

2-4 Power Adjustable Overhead Door Closer c/w Backcheck



Technical Info

- 2-4 Power Adjustable
- Adjustable Backcheck
- Adjustable Latching
- Adjustable Closing
- Satin Finish
- Surface Mounted
- BS EN1634 Fire Rated FD30, 60, 90, 120 Timber
- BS EN1154 Performance Tested 2-4 (40-80kg)
- CE Approved
- UKCA Approved
- Certifire Approved




Signage

Fire Door Signage To Suit Fire Door Applications

Technical Info

- 76mm Dia.
- Stainless Steel Material
- Countersunk
- Face Fixing
- 2no 'Fire Door Keep Shut' Signs




Lever On Rose

Stainless Steel Safety Lever On Rose




Technical Info

- Safety Design
- Stainless Steel Material
- Bolt Through Fixing
- 19mm Diameter
- 135mm Length
- Satin Finish
- Surface Mounted
- BS EN1634 Fire Rated
FD30, 60 Timber
- BS EN1906 Performance
Tested
- Suitable for 44mm Doors




Euro Sashlock

76mm Euro Profile Sashlock Case Only




Technical Info

- 3" Euro Sashlock
- 57mm Backset
- Universal Handing
- BS EN1634 Fire Rated
FD30, 60 Timber
- BS EN12209 Performance
Tested
- CE Approved
- UKCA Approved
- Certifire Approved



Lock Kit

**Intumescent Lock Kit to Suit
Eclipse Euro Sashlock**



Technical Info

- Universal Lock Case Kit
- Graphite Material
- BS EN1634 Fire Rated
FD30, 60 Timber
- To suit Eclipse Euro
Profile Sashlock Case


Euro Cylinder

**76mm Euro Profile Deadlock
Case Only**



Technical Info

- 70mm Euro Profile Cylinder
- 35/35 Split
- 6 Pin Cylinder
- Keyed To Differ
- Snap Secure
- Anti-Pick
- Anti-Bump
- Suitable For Use With
Eclipse Certifire Deadlock in
a fire door



Euro Escutcheon

Euro Profile Stainless Steel Escutcheon 2pk



Technical Info

- Euro Profile
- Stainless Steel Material
- Clip On Rose
- Supplied With Fixings
- Supplied as a pair

