

CERTIFICATE OF APPROVAL No CS 10049

This is to certify that, in accordance with
STS200 General Requirements for Certification of Enhanced Security Products
The undermentioned products of

RUTLAND TRADING CO. LTD

Unit 4, Holmewood Business Park, Chesterfield Road,
Holmeroad, Chesterfield, S42 5US, United Kingdom

Tel: 01246 261491

Have been assessed against the requirements of the Technical Schedule(s)
denoted below and are approved for use subject to the conditions
appended hereto:

CERTIFIED PRODUCT
RLP TS008 Security Letter Plate

TECHNICAL SCHEDULE
STS218 - Enhanced security and
general requirements for letter plate
assemblies to satisfy the
requirements of DHF TS 008

CLASSIFICATION							
Product type	Aperture type & location	Enhanced security level	Option to lock	Corrosion	Water	Fire resistance	Arson
A	1	2	N	5	N	1	0

NPD = No performance determined

Signed and sealed for and on behalf of Warringtonfire Testing and Certification Limited



Paul Duggan
Certification Manager



Issued: 29th June 2026
Audit Test Frequency: Annually
Valid to: 28th June 2031





CERTIFICATE No CS 10049

RUTLAND TRADING CO. LTD

Rutland Trading Co. Ltd - RLP TS008 Security Letter Plate

1. This certification is provided to the client for their own purposes and we cannot opine on whether it will be accepted by Building Control authorities or any other third parties for any purpose.
2. This approval relates to the use of the above in providing an enhanced security performance to DHF TS 008:2022+A1:2025, for **timber door leaves only** with product type grade A for products without remotely fitted security hardware, aperture type 1 for letterplate assemblies, enhanced security grade 2 for product resistant to thumbturn manipulation and fishing, option to lock grade N, corrosion grade 5 480hrs, resistance to water penetration grade N no performance determined, fire resistance grade 1, arson attack grade 0 no performance determined.
3. The letterplates are approved on the basis of:
 - i. Initial type testing against DHF TS 008.
Element Wednesbury test report WIL 556031 & Warringtonfire test report WF 546445, WF 550801 & WF 557331.
 - ii. Audit testing at the frequency specified in STS 200 & STS 218 where relevant.
 - iii. A design appraisal against STS218 where relevant.
 - iv. Inspection and surveillance of factory production control at No 1 Fulinm Lao, Guisi Street, Ningbo, Zhenhai District, 315206, China.
4. This approval is applicable to complete letterplate assemblies only.
5. This certification is designed to demonstrate compliance of the letterplate specifically with DHF TS 008 and the requirements of Secured by Design. If compliance is required to other regulatory or guidance documents there may be additional considerations or conflict to be taken into account.
6. For the full specification of the product please refer to the constructional specification that accompanies this certificate.

Signed
Page 2 of 4
COP27633-8

EWC-QU-FT-734 - (Issue 3)

Issued: 29th June 2026
Valid to: 28th June 2031



CERTIFICATE No CS 10049

RUTLAND TRADING CO. LTD

Rutland Trading Co. Ltd - RLP TS008 Security Letter Plate

7. The letterplates shall be fixed as described in manufacturers approved installation instructions.

Each letter plate assembly shall be supplied with full installation instructions. Alternatively, instructions may be provided via a website, provided that a link to the appropriate location is included with the assembly.

These instructions shall include the following:

- The manufacturer's/supplier's name
- The manufacturer's/supplier's contact details
- The product name/part number
- Thicknesses of door or panel into which the product can be installed
- Specific materials of door or panel into which the product should be installed (**i.e. timber door leaves only**)
- Installation instructions
- TS 008 classification information
- The following warning about fire resistance.

Where a letter plate assembly or slide through box is fitted into a fire rated door or panel, it is essential that its fire rating is the same or higher than the surround into which it is to be fitted. When considering the scope of a letterplate with fire performance for inclusion in a fire doorset, the scope shall be limited to what is proven by test, including the generic fire resisting door type/thickness used, the height/direction tested, and shall remain specific to the test standard adopted.

- The following warning about installation locations:

TS 008 compliant letter plates provide resistance against various methods of theft. For optimum protection, the letterplate should be installed in line with the test methods described in TS 008.

8. Labels or other permanent marking to the CERTISECURE design referencing CERTISECURE, DHF TS 008:2022 +A1:2025, the product classifications, Rutland Trading Co. Ltd, and CERTISECURE certificate No. CS 10049 shall be affixed to each letterplate in the prescribed position.
9. This approval relates to on going production. The letterplate and/or its immediate packaging is identified with the manufacturer's name, the product name or number, the CERTISECURE name and mark together with the CERTISECURE Certificate number and application where appropriate.

Signed
Page 3 of 4
COP27633-8

EWC-QU-FT-734 - (Issue 3)

Issued: 29th June 2026
Valid to: 28th June 2031



CERTIFICATE No CS 10049
RUTLAND TRADING CO. LTD

Further Information

Further information regarding the details contained in this certificate may be obtained from Rutland Trading Co. Ltd, Unit 4, Holmewood Business Park, Chesterfield Road, Holmeroad, Chesterfield, S42 5US, United Kingdom (Tel: 01246 261491)

Further information regarding CERTISECURE certification and other approved products can be obtained from Warringtonfire Testing and Certification Limited, Unit 722 The Quadrant, Birchwood Technology Park, Warrington, Risley WA3 6FW, United Kingdom.

Signed 
Page 4 of 4
COP27633-8

EWC-QU-FT-734 - (Issue 3)

Issued: 29th June 2026
Valid to: 28th June 2031